



Trade name: deconex 11 UNIVERSAL

**Revision:** 29.05.2018 **Version:** 12.4.0

**Print date :** 06.06.2018

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

deconex 11 UNIVERSAL

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Reserved for industrial and professional use.

#### Relevant identified uses

Detergent

## 1.3 Details of the supplier of the safety data sheet

LLG Lab Logistics Group GmbH **Street:** Am Hambuch 1

Postal code/city: 53340 Meckenheim

Country: Deutschland

**Telephone:** +49 222 5 92 110 **Telefax:** +49 222 5 92 1111

**Information contact:** product.safety@borer.ch

Manufacturer Borer Chemie AG

**Street:** Gewerbestrasse 13

Postal code/city: 4528 Zuchwil

**Country:** Schweiz

**Telephone:** +41 32 686 56 00 **Telefax:** +41 32 686 56 90

**Information contact:** product.safety@borer.ch

#### 1.4 Emergency telephone number

Giftnotruf der Charité - Universitätsmedizin Berlin, 12203 Berlin, Notruf: +49 30 19 24 0

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 3 ; H412 - Hazardous to the aquatic environment : Chronic 3 ; Harmful to aquatic life with long lasting effects.

Eye Irrit. 2; H319 - Serious eye damage/eye irritation: Category 2; Causes serious eye irritation.

Skin Corr. 1B; H314 - Skin corrosion/irritation: Category 1B; Causes severe skin burns and eye damage.

Met. Corr. 1; H290 - Corrosive to metals: Category 1; May be corrosive to metals.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**Hazard pictograms** 



Corrosion (GHS05)

Signal word

Danger

**Hazard components for labelling** 

Page: 1/8





Trade name: deconex 11 UNIVERSAL

**Revision:** 29.05.2018 **Version:** 12.4.0

**Print date:** 06.06.2018

POTASSIUM HYDROXIDE; CAS No.: 1310-58-3

#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P234 Keep only in original container.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P310 Immediately call a POISON CENTER.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

#### 2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous ingredients**

TETRAPOTASSIUM PYROPHOSPHATE; REACH registration No.: 01-2119489369-18; EC No.: 230-785-7; CAS No.: 7320-34-5

Weight fraction :  $\geq$  5 - < 15 % Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

POTASSIUM HYDROXIDE; REACH registration No.: 01-2119487136-33; EC No.: 215-181-3; CAS No.: 1310-58-3

Weight fraction :  $\geq 1 - < 5 \%$ 

Classification 1272/2008 [CLP]: Met. Corr. 1; H290 Skin Corr. 1A; H314 Acute Tox. 4; H302

SODIUM HYPOCHLORITE, SOLUTION CL ACTIVE; REACH registration No.: 01-2119488154-34; EC No.: 231-668-3; CAS No.

: 7681-52-9

Weight fraction : < 1 %

Classification 1272/2008 [CLP]: Met. Corr. 1; H290 Skin Corr. 1B; H314 STOT SE 3; H335 Aquatic Acute 1; H400

Aquatic Chronic 1; H410

## Additional information

Full text of H- and EUH-phrases: see section 16.

#### Regulation (EC) No. 648/2004: Labelling for contents

 $\begin{array}{ccccc} \text{phosphates} & 5 - < 15 & \% \\ \text{anionic surfactants} & < 5 & \% \\ \text{chlorine-based bleaching agents} & < 5 & \% \\ \text{non-ionic surfactants} & < 5 & \% \\ \end{array}$ 

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

## **General information**

Remove contaminated, saturated clothing immediately.

## **Following inhalation**

Provide fresh air. In case of respiratory tract irritation, consult a physician.

## In case of skin contact

Flush away with water and rinse. In case of skin irritation, consult a physician.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## After ingestion

Page: 2 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: deconex 11 UNIVERSAL

**Revision:** 29.05.2018 **Version:** 12.4.0

**Print date :** 06.06.2018

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### Self-protection of the first aider

No special measures are necessary.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes, respiratory system and skin.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

The product itself does not burn.

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, foam, extinguishing powder.

## Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

## **Hazardous combustion products**

Fire generates toxic gases.

#### 5.3 Advice for firefighters

## **Special protective equipment for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### 5.4 Additional information

None

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Take the precautions customary when handling chemicals.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4 Reference to other sections

See Chapter 7, 8 & 13

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. See section 8 of the safety data sheet (general health and safety measures)

#### **Protective measures**

#### Measures to prevent fire

No anti-explosion measures necessary.

# Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Hints on joint storage

Storage class: 8B

Page: 3 / 8





Trade name: deconex 11 UNIVERSAL

**Revision:** 29.05.2018 **Version:** 12.4.0

**Print date :** 06.06.2018

Storage class (TRGS 510): 8B

#### **Further information on storage conditions**

Keep only in the original container in a cool, well-ventilated place. Do not store together with Acids, oxidizing agents,

**Storage temperature :** Optimal storage temperature 20 °C . For details, see product label.

#### 7.3 Specific end use(s)

None

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

### **DNEL/DMEL and PNEC values**

#### **DNEL/DMEL**

Limit value type: DNEL worker (systemic) ( TETRAPOTASSIUM PYROPHOSPHATE ; CAS No. : 7320-34-5 )

Exposure route: Inhalation

Exposure frequency : Long-term (repeated)

Limit value: 44.08 mg/m<sup>3</sup>

Limit value type: DNEL worker (local) ( POTASSIUM HYDROXIDE ; CAS No. : 1310-58-3 )

Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 1 mg/m³

## 8.2 Exposure controls

Control any potential exposure using measures such as contained or enclosed systems, properly designed and maintained facilities and a good standard of general ventilation. Drain down systems and clear transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance. Where there is potential for exposure: Ensure relevant staff are informed of the nature of exposure and aware of basic actions to minimise exposures; Ensure suitable personal protective equipment is available; Clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; consider the need for health surveillance; identify and implement corrective actions.

## Personal protection equipment

## **Eye/face protection**

Eye glasses with side protection

#### Skin protection

## **Hand protection**

In full contact: Glove material: nitrile rubber Layer thickness: 0.4 mm Breakthrough time: > 480 Min. In splash contact: Glove material: nitrile rubber Layer thickness: 0.4 mm Breakthrough time: > 480 Min. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374.

## **Body protection**

Light protective clothing.

## **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## Suitable respiratory protection apparatus

Filtering device with filter or ventilator filtering device of type: A

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance : liquid
Colour : milky
Odour : Chlorine

#### Safety relevant basis data

Melting point/melting range : not relevant

Initial boiling point and boiling (1013 hPa) 100 °C

Page: 4 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: deconex 11 UNIVERSAL

**Revision:** 29.05.2018 **Version:** 12.4.0

**Print date :** 06.06.2018

range:

Decomposition temperature :>230°CFlash point :not applicableIgnition temperature :not applicableLower explosion limit :not applicableUpper explosion limit :not applicable

approx. Vapour pressure: (25°C) hPa Density: (20°C) 1.1 g/cm<sup>3</sup> Solvent separation test : (20°C) not determined Water solubility: (20°C) 100 g/l pH value (solvent = drinking approx. ( 20 °C / 10 g/l ) 10

water): (20 C / 10 g/l ) 10 log P O/W: not determined

Flow time: (20 °C) not determined DIN-cup 4 mm

**Viscosity:** ( 20 °C ) not determined **Evaporation rate:** not relevant

Vapourisation rate: not relevant not relevant

Flammable solids: Not applicable.
Flammable gases: Not applicable.
Oxidising liquids: Not relevant.
Explosive properties: Not applicable.

**Corrosive to metals :** May be corrosive to metals (H290).

#### 9.2 Other information

None

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

## 10.2 Chemical stability

Thermal decomposition above 230 °C.

## 10.3 Possibility of hazardous reactions

Exothermic reaction with: Acids, oxidizing agents,

## 10.4 Conditions to avoid

None, if handled according to order.

## 10.5 Incompatible materials

Acids, oxidizing agents,

## 10.6 Hazardous decomposition products

Chlorine.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute effects**

#### **Acute oral toxicity**

Parameter: ATEmix calculated

Exposure route : Oral Species : Rat

Effective dose: > 21000 mg/kg

## **Irritant and corrosive effects**

Causes severe skin burns and eye damage.

#### Sensitisation

No information available.

Page: 5 / 8

(EN/D)

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: deconex 11 UNIVERSAL

**Revision:** 29.05.2018 **Version:** 12.4.0

**Print date :** 06.06.2018

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

No information available.

## **STOT-single exposure**

No information available.

#### **STOT-repeated exposure**

No information available.

#### **Aspiration hazard**

No information available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

# **Aquatic toxicity**

#### Acute (short-term) algae toxicity

Parameter: EC50 ( TETRAPOTASSIUM PYROPHOSPHATE ; CAS No. : 7320-34-5 )

Species: Daphnia
Effective dose: > 100 mg/l
Exposure time: 48 h

Parameter: EC50 ( SODIUM HYPOCHLORITE, SOLUTION CL ACTIVE ; CAS No. : 7681-52-9 )

Species: Algae
Effective dose: 46 mg/l
Exposure time: 96 h

#### Effects in sewage plants

Parameter: Chemical oxygen demand (COD)

Effective dose: 30 g/kg

## 12.2 Persistence and degradability

## Biodegradation

Parameter: Biodegradability according to OECD

Effective dose : > 80 %

## Regulation on Detergents (EC) No 648/2004

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request.

## 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

No information available.

#### 12.6 Other adverse effects

No information available.

## 12.7 Additional ecotoxicological information

None


# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

In accordance with local official regulations.

## **SECTION 14: Transport information**

Page: 6 / 8



# according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: deconex 11 UNIVERSAL

**Revision:** 29.05.2018 **Version:** 12.4.0

**Print date:** 06.06.2018

## 14.1 UN number

UN 3266

# 14.2 UN proper shipping name

#### Land transport (ADR/RID)

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (TETRAPOTASSIUM PYROPHOSPHATE)

#### Sea transport (IMDG)

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (TETRAPOTASSIUM PYROPHOSPHATE)

#### Air transport (ICAO-TI / IATA-DGR)

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (TETRAPOTASSIUM PYROPHOSPHATE)

#### 14.3 Transport hazard class(es)

## Land transport (ADR/RID)

Class(es): 8
Classification code: C5
Hazard identification number (Kemler
No.): 80
Tunnel restriction code: E
Special provisions: LQ 1 | · E 2
Hazard label(s): 8

Sea transport (IMDG)

**Class(es):** 8 **EmS-No.:** F-A / S-B

**Special provisions :** E 2 · Segregation Group 18 - Alkalis

Hazard label(s): 8
Air transport (ICAO-TI / IATA-DGR)
Class(es): 8

Class(es): 8
Special provisions: E 2
Hazard label(s): 8

#### 14.4 Packing group

Η

## 14.5 Environmental hazards

Land transport (ADR/RID): No Sea transport (IMDG): No

Air transport (ICAO-TI / IATA-DGR): No

#### 14.6 Special precautions for user

May be corrosive to metals (H290)

## **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

# National regulations

#### **Technische Anleitung Luft (TA-Luft)**

Weight fraction (Number 5.2.5. I): < 5 % Sum organic substances class III: < 5 %

Water hazard class (WGK)

Class: 1 (Slightly hazardous to water) Classification according to VwVwS

## 15.2 Chemical safety assessment

No information available.

## **SECTION 16: Other information**

The user is responsible for the observance of all required statutory provisions.

Page: 7 / 8





Trade name: deconex 11 UNIVERSAL

**Revision:** 29.05.2018 **Version:** 12.4.0

**Print date :** 06.06.2018

## 16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP]

## 16.2 Abbreviations and acronyms

None

## 16.3 Key literature references and sources for data

None

# Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

## 16.5 Relevant H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

## 16.6 Training advice

None

#### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Distributed by:



Tallaght Business Park Quatro House, Frimley Road,

Whitestown, Dublin 24, Camberley, Ireland United Kingdom D24 RFK3 GU16 7ER

Tel: (01) 4523432 Tel: 08452 30 40 30 Fax: (01) 4523967 Fax: 08452 30 50 30

E-mail: info@labunlimited.com E-mail: info@labunlimited.co.uk Web: www.labunlimited.co.uk Web: www.labunlimited.co.uk

Page: 8 / 8

(EN/D)